

Products

- **Earbuds**
- **Neckband**
- **BT Speaker**
- **Sound Bar**
- **Power Bank**

Atom 121 Earbuds

Bluetooth Earbuds

SX



300mAh

Capacity

IPX5

Rated

20 hours

Playing Time

100 Hours

Standby Time

10 meter

Range

Bluetooth v5.3

Technology

- High Bass Stereo Sound
- 10mm Bass Boost Driver.
- Long Play Battery Life
- Fast Charging with Type C Port
- Smart Touch Control
- Digital Display

Atombuds 111 Earbuds

Bluetooth Earbuds

SX



250mAh

Capacity

15 hours

Playing Time

10 meter

Range

IPX5

Rated

80 Hours

Standby Time

Bluetooth v5.1

Technology

- High Bass Stereo Sound
- 10mm Bass Boost Driver.
- Long Play Battery Life
- Smart Touch Control
- Digital Display

CM18F Earbuds

ANC+ENC

SX



300mAh

Capacity

JL70006F8

Chipset

16 hours

Playing Time

100 Hours

Standby Time

13mm

Speaker Driver

Bluetooth v5.3

Technology

- IPX4 Sweat Proof
- Active noise cancelling (depth:-25db).
- Quad mics ENC for clear call
- Smart touch control
- Transparency mode
- Master Slave switch seamlessly

C-001 Bluetooth Neckband

Bluetooth Neckband



220mAh

Capacity

15 hours

Playing Time

10 meter

Range

IPX5

Rated

100 Hours

Standby Time

Bluetooth 5.0

Technology

- 10mm Dynamic Driver.
- Impedance 28Ω.
- Frequency 20Hz-20KHz.
- Supported Bluetooth profiles HFP,A2DP
- 80% charge in 1 Hour 20 minutes.

D-02 BT Speaker

Bluetooth Speaker



2000mAh

Capacity

10W

Driver

10 hours

Playing Time

Features

TF card , FM

Features

RGB

Bluetooth v5.1

Technology

- 10W Dynamic Driver.
- RGB

Nest D-21 BT Speaker

Bluetooth Speaker



2000mAh

Capacity

10W

Driver

10 hours

Playing Time

Features

TF card , FM

TWS Pairing

Connectivity

Bluetooth v5.3

Technology

- 10W Dynamic Driver.
- TWS Pairing

D-13 BT Speaker

Bluetooth Speaker



With Display



Without Display

2000mAh

Capacity

IPX5

Rated

20 hours

Playing Time

Features

TF card , USB Drive, FM

TWS Pairing

Connectivity

Bluetooth 5.0


Technology

- 5W Dynamic Driver.
- Battery Voltage 3.7V-4.2V
- Material ABS
- Impedance 32Ω.
- Frequency 20Hz-20KHz.

CM-19L BoomBar Sound Bar

Sound Bar

SX



10W

Watt

2x 50mm Dynamic Drive

Drive

10m Distance

Connectivity

20 hours

Playing Time

Features

TF Card, FM, USB, AUX

Bluetooth V5.3

Technology

2.0 Channel

Channel

RGB Light

Spectrum

4800mAh

Rechargeable Battery

CM-21 SoundMate Sound Bar

Sound Bar



10W

Watt

2x 50mm Dynamic Drive

Drive

10m Distance

Connectivity

10 hours

Playing Time

Features

TF Card, FM, USB, AUX

Bluetooth V5.3

Technology

2.0 Channel

Channel

RGB Light

Spectrum

2600mAh

Rechargeable Battery

Audioloaf Sound Bar

Sound Bar

SX



20W

Watt

2x 50mm Dynamic Drive

Drive

10m Distance

Connectivity

6,8 hours

Playing Time

Features

TF Card, FM, USB, AUX
Digital Display

Bluetooth V5.3

Technology

2.0 Channel

Channel

2x RGB Light

Spectrum

2000mAh

Rechargeable Battery

Multiple Function

Media Control

Bladebeat Sound Bar

Sound Bar



20W

Watt

Dual Dynamic Drive

Drive

**10m Distance, Auto
Reconnective
Connectivity**

6,8 hours

Playing Time

Features

TF Card, FM, USB, AUX

Bluetooth V5.3

Technology

2.0 Channel

Channel

RGB Light

Spectrum

2000mAh

Rechargeable Battery

Prism Sound Bar

Sound Bar



20W

Watt

Dual Drive

Drive

10m Distance

Connectivity

6,8 hours

Playing Time

Features

TF Card, FM, USB, AUX

Bluetooth V5.3

Technology

2.0 Channel

Channel

RGB Light

Spectrum

2000mAh

Rechargeable Battery

EchoBass Sound Bar

Sound Bar



4000mAh

Rechargeable Battery

IPX5

Rated

TWS Pairing

Connectivity

20 hours

Playing Time

Features

TF card, FM, USB, TWS,
Digital Display

Bluetooth 5.0

Technology

Revolve R-36 Sound Bar

Sound Bar



2000mAh

Rechargeable Battery

Clock/Alarm

Digital Display

TWS Pairing

Connectivity

10 hours

Playing Time

Features

TF card, FM, USB, TWS,
Digital Display

Bluetooth 5.3

Technology

A5 Power Station

Power Station



Battery Capacity

90000mAh

Compatible

Universal

Output Ports

2x AC Socket, 2x USB-A, USB-C PD, DC
12V

Output Power

Max 300W

Weight

2.8kg

Features

Digital Display, LED Torch(Torch, Flashing,
SOS)

Power Vault 75000mAh

Power Station

SX



Battery Capacity

75000mAh

Compatible

Universal

Output Ports

USB-C, 2 x USB-A, QC 3.0, DC, AC Outlets

Output Power

Max 200W

Weight

1.5kg

Features

Digital Display, LED Torch

Treasury Power Bank

Power Banks

SX



1,00,000mAh

Capacity

Output Ports

4x USB-A ,1x USB-C

Input USB-C

5V/3A, 9V/2A, 12V/1.5A

Input Micro/lightning

DC 5V/2A

Output USB-A3

QC3.0 5V/3A, 9V/2A, 12V/1.9A

Output USB-C

5V/3A, 9V/2A, 12V/1.9A

Total Output

23W

Color

Black

- Battery Lithium polymer.
- Detachable cable (Type-C , Lightning)
- Digital Display
- Recharge Time Via 3Amp up to 4 hours

T169 Power Bank

Power Banks



80000mAh

Capacity

Output Ports

4x USB-A

Input Port

Micro, Type C, Lightning

Color

Black

Total Output

15W

Output

USB 5.1V, 2.4A/6.25V, 2.0A/7.5V,
1.25A/12V, 5.1V/2.4A

Input

5V, 2.4A/6.25V, 2.0A/7.5V, 1.5A

Features

Digital Display, LED light

- Battery Lithium polymer.
- LED Light
- Digital Display

Treasury Pro Power Bank

Power Banks

SX



60000mAh

Capacity

Total Output

140W

Output Ports

2x USB-A, 2x USB-C PD, DC
Port

Output USB-A

5V/3A, 9V/2A (18W Max)

Input Port

DC, Type-C

DC Input

20-60V (150W)

Color

Green

Features

Digital Display, LED light

- **Lithium Phosphate Battery.**
- **LED Light with Telescopic Adjustment Design**
- **Advanced Digital Display**
- **Output USB-C1: PD 5V/3A, 9V/2.2A, 12V/1.6A, 20V/3A (140W max)**
- **Output USB-C2: PD 5V/3A, 9V/2.2A, 12V/1.6A, (23W max)**
- **DC Output Port: 12V (120W Max)**

DX-103s Power Bank

Power Banks



60000mAh

Capacity

Output Ports

2x USB-A ,1x USB-C

Input USB-C

5V/3A, 9V/2A, 12V/1.5A

Input Lightning

DC 5V/2A

Output USB-A1

QC3.0 5V/3A, 9V/2A, 12V/1.9A

Output USB-A2

DC 5V/2.4A

Output USB-C

5V/3A, 9V/2A, 12V/1.9A

Total Output

23W

- Battery Li-Polymer.
- Digital Battery Indicator.
- Inbuilt Torch
- Recharge Time Via 3Amp upto 10 hours

Power Bank

Power Banks



K-115
50000mAh



K-123
30000mAh



K-122
20000mAh

Total Output
23W

USB-C PD
5V/3A, 9V/2A, 12V/1.5A

Output USB-A1
QC3.0 5V/3A, 9V/2A, 12V/1.9A

Output Ports
4x USB-A, 1x USB-C PD

Input
Lightning DC 5V/2A, Micro

Output USB-A2/3/4
DC 5V/2.4A

Color
Yellow

T90 Power Bank

Power Banks



30000mAh

Battery Capacity

Ports

2x USB-A , 1x USB-C, Micro

Output

5V/2.1A

Total Output

15W

Display Type

Semi Digital

Features

In built Torch

- Battery Li-Polymer.
- Multiple protection layers.

K81 Power Bank

Power Banks



20000mAh

Battery Capacity

Ports

2x USB-A , 1x USB-C

Output

20V/50A

Total Output

100W

Display Type

Advanced Digital Display

Features

Fast Charging

- Battery Li-Ion.
- Multiple protection layers.

DX-400 Power Bank

Power Banks



20000mAh
Capacity

Total Output
23W

Output Ports
2x USB-A, 1x USB-C PD

Detachable Cable
USB-C & Lightning

Color
Black


Features
Digital Display, LED light

- LED light- Smart foldable light
- Digital Display
- USB-C PD 23W Output
- USB-A QC Output
- USB-A2 Output

W-006 Power Bank

Power Banks

SX



20000mAh

Capacity

Output

2 x USB-A, Built In Cable(USB-C ,
Micro, Lightning), Wireless

Input

DC5V/2A

Output

DC 5V/2.4A

10W

Wireless Output

Total Output

15W Max

- Li-Polymer.
- Inbuilt Cable (Type-C, Lightning , USB-A)
- Digital Battery Indicator.
- Recharge Time Via 2Amp up to 8 hours

DX-310 Power Bank (Gradient)

Power Banks



20000mAh

Capacity

Total Output

23W

Output Ports

USB-A, USB-C PD

Input

Lightning, USB-C

Output USB-C

5V/3A, 9V/2.2A, 12V/1.6A (23W)

Output USB-A

QC 5V/3A, 9V/2.2A, 12V/1.6 (Fast Charging)

Color

Pink, Sky blue

Features

Digital Display, Built Cable (Type-C & Lightning)

- Battery Li-Polymer.
- Digital Battery Display.

Power Bank

Power Banks

20000mAh



HTY-09s

10000mAh



HTY-08s

Total Output

23W

Output USB

5V/3A, 9V/2.2A,
12V/1.6A(23W Max)

Input USB-C

5V/3A, 9V/2.2A, 12V/1.6A(Fast
Charging)

Output Ports

2x USB-A, 1x USB-C

Input Micro

USB DC 5V/2.4A

Color

Black & White

Feature

Digital Display

DX-06s Power Bank

Power Banks



20000mAh

Capacity

Input

DC5V/2A

Inbuilt Cables

USB-C, Micro, Lightning

Output Ports

1x USB-A

Output

DC 5V/2.4A

Total Output

15W Max

- Battery Li-Polymer.
- Inbuilt Cable (Type-C, Lightning ,Micro)
- Digital Display.
- Recharge Time Via 2Amp upto 8 hours

K2 Power Bank

Power Banks



20000mAh

Capacity

Output Ports

2x USB-A

Input Type C

5V/3A, 9V/2.2A, 12V/1.6A(Fast Charging)

Color

Black

Total Output

15W

Output USB

5V/3A, 9V/2.2A, 12V/1.6A(15W Max)

Input Micro

USB DC 5V/2.4A

Feature

Charging Indicator, Alloy Body

- Battery Li-Polymer.
- Charging Indicator.
- Alloy Body.

DX-09 Power Bank

Power Banks



20000mAh

Capacity

Output Ports

1x USB-A

Input

DC5V/2A

Output

DC 5V/2.4A

Inbuilt Cables

USB-C, Micro, Lightning, USB-A

Total Output

15W Max

- Battery Li-Polymer.
- Inbuilt Cable (Type-C, Lightning ,Micro USB-A)
- LED Battery Indicator.
- Recharge Time Via 2Amp upto 8 hours

Solar-02 Power Bank

Power Banks



20000mAh

Capacity

Input Ports

Micro, Type-C

Inbuilt Cables

USB-C, Lightning

Output Ports

2x USB-A

Output

DC 5V/2.4A

Total Output

15W Max

- Battery Li-Polymer.
- Input Solar Panel 0.250 mA
- Inbuilt LED light
- Semi Battery Indicator.
- Recharge Time Via 2Amp upto 8 hours

Solar-01 Power Bank

Power Banks



10000mAh

Capacity

Output Ports

1x USB-A

Input

DC5V/2A

Output

DC 5V/2.4A

Inbuilt Cables

USB-C, Micro, Lightning, USB-A

Total Output

15W Max

- Battery Li-Polymer.
- Input Solar Panel 0.250 mA
- Inbuilt Cable (Type-C, Lightning ,Micro USB-A)
- Semi Battery Indicator.
- Recharge Time Via 2Amp upto 8 hours

BT-21 Power Bank (Shotgun)

Power Banks



15000mAh

Capacity

Output Port

USB-C PD 5V/3A, 9V/2.2A,
12V/1.6A (23W)

Material

ABS

Output

23W

Input

USB-C 5V/3A, 9V/2.2A, 12V/1.6A
(Fast Charging)

Features

Replaceable Battery

- Battery Li-Ion.
- Versatile and Portable

W020 Power Bank

Wireless Power Banks

SX



10000mAh
Capacity

15W
Wireless Output

Output Ports
Wireless, Built In Cable(USB-C & Lightning), & USB-A

Total Output
23W Max

Input
Type C 5V/9V/12V

Output
Type C PD 5V/9V/12V, Type C Cable QC 5V/9V/12V, Lightning Cable 5V

- Inbuilt Cable (Type-C & Lightning)
- Digital Battery Indicator.
- Recharge Time Via 2Amp up to 8 hours

W028 Power Bank (Titanium)

Wireless Power Banks



10000mAh

Capacity

15W

Wireless Output

USB-C Input

5V/3A, 9V/2.2A, 12V/1.6A (Fast Charging)

Total Output

23W Max

USB-C Output

5V/3A, 9V/2.2A, 12V/1.6A (23W)

Features

Titanium material

- Lithium Polymer Battery.
- Battery Indicator.

Explorer Power Bank

Power Banks



10000mAh

Capacity

3 in 1

Power Bank, Stand, Charger

Input

AC, Type C PD

Output

Wireless, USB-A QC, PD Type, Built in Cable(USB-C, Lightning)

Color

Black

Material

Fireproof ABS+PC

- Battery type is Li-Polymer.
- Built in stand.
- Inbuilt Cable (Type-C, Lightning, USB).
- LED Display.

DX-366 Power Bank (Energizer)

Power Banks



10000mAh

Capacity

Total Output

23W Max

15W

Wireless Output

Input

AC, USB-C

Output Ports

Wireless, USB-A, USB-C Lightning

Feature

AC, Inbuilt Cable(Type-C, Lightning),
Strong magnets, Digital display

- Built in Mobile Stand.
- Inbuilt Cable (Type-C & Lightning).
- Digital Battery Indicator.
- Strong magnet.
- Adaptor Mode.

DX-600 Power Bank

Power Banks



10000mAh

Battery Capacity

Total Output

45W

Ports

USB-A , USB-C PD

USB-A Output

5V/3A, 9V/2.5A, 12V/1.9A
(23W)

USB-C Output

5V/3A, 9V/3A, 12V/3A, 15V/3A,
20V/2.25A (45W Max)

Features

Fast Charging, Digital Display

- Battery Li-Ion.
- Input USB-C: 5V/3A, 9V/3A, 12V/3A (Fast charging)
- Multiple protection layers.

DX-317 Power Bank

Power Banks



10000mAh

Capacity

Total Output

23W Max

Output

USB-A Port, USB-C Port, & Inbuilt Cable (USB-C Cable & Lightning Cable)

Input

AC 100-250V, USB-C

Features

Inbuilt Charger & Inbuilt Cable

Material

ABS

- Inbuilt Cable (Type-C & Lightning)
- Digital Display with PD Indicator.

DX-348 Power Bank (Globetrotter)

Power Banks



10000mAh

Capacity

Total Output

23W Max

Output

USB-A Port, USB-C Port, & Inbuilt Cable (USB-C Cable & Lightning Cable)

Input

AC 100-250V, USB-C

Features

Inbuilt Charger & Inbuilt Cable

Material

ABS

- Inbuilt Cable (Type-C & Lightning)
- Digital Display with PD Indicator.

Power Bank

Power Banks



DX-280
10000mAh



DX-293
10000mAh

Total Output

23W

Output

Type C PD 5V/9V/12V, Type C Cable
QC 5V/9V/12V, Lightning Cable 5V 2A

Material

ABS

Output

Type C & Lightning

Input

Type C 5V/9V/12V

Feature

Digital Display

DX-467 Power Bank

Power Banks



10000mAh

Battery Capacity

Output USB-C PD

5V/2.4A, 9V/2A

Output USB-A

3.0 5V/2.4A

In-build Cables

Micro, Lightning & Type C

Battery Lithium Polymer

Digital Battery Indicator

Multiple protection layer

- Recharge Time Via 3Amp upto 4 hours
- Dual LED Torch

Output Ports

USB-A, USB-C

Output USB-C

5V/2.4A, 9V/2A

Material

ABS

Total Output

23W Max

DX-114 Power Bank

Power Banks



10000mAh

Capacity

Input USB-C

5V/3A, 9V/2A, 12V/1.5A

Output USB-A1

QC3.0 5V/3A, 9V/2A, 12V/1.9A

Output USB-A2

5V/2.4A

Output Ports

USB-A ,1x USB-C

Input

DC 5V/2A

Output USB-C

5V/3A, 9V/2A, 12V/1.9A

Total Output

23W Max

- Battery Li-Polymer.
- Inbuilt Cable (Type-C, Lightning , USB-A)
- Digital Battery Indicator.
- Recharge Time Via 3Amp upto 5 hours

HTY-275 Power Bank

Power Banks



10000mAh

Battery Capacity

Input USB-C

5V/3A, 9V/2A, 12V/1.5A

Output USB-A

QC3.0 5V/3A, 9V/2A, 12V/1.9A

Material

ABS

Output Ports

USB-A, USB-C

Display Type

Digital

Output USB-C

5V/3A, 9V/2A, 12V/1.9A

Total Output

23W Max

- Battery Li-ion.
- Digital Battery Indicator.
- Recharge Time Via 3Amp upto 4 hours

K-41 Power Bank

Power Banks



10000mAh

Capacity

Output Ports

1x USB-A ,1x USB-C

Input USB-C

5V/3A, 9V/2A, 12V/1.5A

Input Micro

DC 5V/2A

Output USB-A1

QC3.0 5V/3A, 9V/2A, 12V/1.9A

Output USB-C

5V/3A, 9V/2A, 12V/1.9A

Total Output

23W

- Battery Li-ion.
- Transparent Power Bank
- Digital Battery Indicator.
- Recharge Time Via 3Amp upto 3 hours

Power Bank

Power Banks



DX-10s
10000mAh



DX-03
10000mAh

Total Output
15W

Output
DC 5V/2.4A

Material
ABS

Output Ports
1x USB-A

Input
DC5V/2A

Inbuilt Cables
USB-C, Micro, Lightning,

DX08 Power Bank

Power Banks



10000mAh

Capacity

Total Output

15W Max

Output Port

USB-A & 4 In Built Cable

Input

DC 5V/2.4A

Indicator

Semi-Digital Display

Features

LED Torch

- In **Built Cable** (Lightning, Type C, & Micro)
- **Battery** Li-Polymer.
- **Semi-Digital** Battery Indicator.
- **Recharge** Time Via 2.4Amp upto 5 hours

T80 Power Bank

Power Banks

SX



10000mAh

Capacity

Input

DC5V/2A

Inbuilt

LED Light

Output Ports

3x USB-A

Output

DC 5V/2.4A

Total Output

12W Max

- **Battery Polymer**
- **Inbuilt With Torch**
- **Semi-Digital Battery Indicator.**
- **Recharge Time Via 2Amp upto 8 hours**

K-28s Power Bank

Power Banks



10000mAh

Capacity

Input USB-C

5V/2A

Output USB-A1

5V/2.4A

Feature

In-Built Torch

Output Ports

2x USB-A, 1x USB-C

Input Micro

DC 5V/2A

Output USB-A2

5V/2.4A

Total Output

12W

- Battery Li-Polymer.
- Digital Battery Indicator.
- Recharge Time Via 3Amp upto 7 hours

H-156 Power Bank

Power Banks



10000mAh

Capacity

Input Type C

5V/2.4A

Input Micro

5V/2.4A

Color

Black, Purple, White, & Yellow

Output Ports

2x USB-A

Display Type

Semi-Digital

Total Output

12W Max

- Battery Li-Ion.
- Semi-Digital Display.
- Recharge Time Via 3Amp upto 4 hours

Q-100 Power Bank

Power Banks

SX



10000mAh

Capacity

2 in 1

Power Bank with Mobile Stand

Input

Micro, USB-A Cable

Output

USB-A, Built in Cable(USB-C , Micro, Lightning)

Color

Black & White

Material

ABS

- Battery type is Li-Polymer
- Built in foldable mobile stand
- Inbuilt Cable (Type-C, Lightning, Micro USB)
- Battery Indicator

H143 Power Bank

Power Banks

SX



10000mAh

Capacity

Total Output

12W Max

Output Ports

3x USB-A

Input Port

Micro USB

USB Output

5V/2.4A

Micro Input

5V/2A

Color

Black, Green, Orange, & White

Features

Torch, Semi-Digital Display

- Li-ion Battery.
- Semi-Digital Battery.
- In Build Torch.

K-39 Power Bank

Power Banks



10000mAh

Capacity

Input USB-C

5V/3A, 9V/2A, 12V/1.5A

Output USB-A

5V/2.4A

Material

ABS

Output Ports

USB-A

Display Type

Digital

Total Output

12W Max

- Battery Li-Polymer.
- Digital Battery Indicator.
- Recharge Time Via 3Amp upto 4 hours

Large-Lamp Power Bank

Power Banks



10000mAh

Capacity

Input

DC5V/2A

Inbuilt

LED Light

Output Ports

3x USB-A

Output

DC 5V/2.4A

Total Output

12W Max

- **Battery Li-Ion.**
- **Inbuilt With Torch**
- **Semi-Digital Battery Indicator.**
- **Recharge Time Via 2Amp upto 8 hours**

R7 Power Bank

Power Banks



8000mAh

Capacity

Input

DC5V/2A

Color

White, Black, & Brown

Output Ports

3x USB-A

Output

DC 5V/2.4A

Total Output

12W Max

- **Battery Polymer**
- **Inbuilt With Torch**
- **Semi-Digital Battery Indicator.**
- **Recharge Time Via 2Amp upto 8 hours**

H101 Power Bank

Power Banks



7500mAh

Capacity

Indicator

Semi-Digital Display

Output USB-A1

DC 5V/2.4A

Output USB-A3

5V/2.4A

Output Ports

USB-A

Input

DC 5V/2A

Output USB-A2

DC 5V/2.4A

Total Output

12W Max

- Battery Li-ion.
- Semi-Digital Battery Indicator.
- Recharge Time Via 2.4Amp up to 3 hours

Power Bank

Power Banks



**Powermugget
Lightning**



**Powermugget
Type-C**

5000mAh

Capacity

Total Output

23W

Material

ABS

Output

1x Lightning/Type-C & 1x 23W
USB-C PD Port

Output

5V/2.4A

Input

5V/9V/12V

Color

Black, White

Power Bank

Power Banks



**Powerpod
Lightning**

5000mAh

Capacity

Output Port

1x Lightning/ Type-C ,1x USB-C

Total Output

15W

Output

5V/2.4A

Color

Black, White



**Powerpod Type-
C**

Material

ABS

Input

5V/2.4A

Features

Li-Ion Battery, Inbuilt with cable
(Type-C , Lightning), Digital Battery
Indicator.

Universal Travel Adapter

Travel Adapter



Output Ports

USB-A (DC 5V 1000mA)

Type

Adapter

AC Output

100V-250V 50/60Hz

AC Input

100V-250V 50/60Hz

Color

Black

Material

ABS

- Multiple protection layers.
- Supports plugs from multiple countries.
- Spare fuse.

TL-890 C-Thru

Wall Charger

SX



Output Ports

USB-A and PD Type-C

Type

Wall Charger

Input

AC100V-240V/50Hz

Output USB-A

DC 5V/2.4A

Output Power

20W Max

Material

ABS

- Compatible with Android & IOS.
- Multiple protection layers.
- Low ripple & interference
- Stabilized Output

TL916A+C Charger

Wall Charger

SX



Output Ports

USB-A & Type C

Type

Wall Charger

Input

220/240 V AC

Output USB-A

DC 5V/3A

Output Power

20W Max

Material

ABS

- Compatible with Android & IOS.
- Multiple protection layers.
- Low ripple & interference
- Stabilized Output

TC QC-007 Chargers

Wall Charger

SX



Output Ports

USB-A

Type

Wall Charger

Input

AC100V-240V/50Hz

Output USB-A

QC3.0 5V/3A, 9V/2A,
12V/1.5A

Output Power

18W Max

Material

ABS

- Compatible with Android & IOS.
- Multiple protection layers.
- Low ripple & interference
- Stabilized Output
- Support Qualcomm 3.0

LC-30 Travel Charger

Wall Charger



Output Ports

2x USB-A

Type

Wall Charger

Input

AC100V-240V/50Hz

Output USB-A

DC 5V/2.4A

Output Power

12W Max

Material

ABS

- Compatible with Android & IOS.
- Multiple protection layers.
- Low ripple & interference
- Stabilized Output

PD C+C 30W Charger

Wall Charger



Output Ports

2x USB-C

Type

Wall Charger

Input

AC100V-240V/50Hz

Output

DC5V/3A, 9V/2.22A, 12V/1.5A

Total Output

30W Max

Material

ABS

- Compatible with all smartphones.
- Multiple protection layers.
- Low ripple & Interference
- Stabilized Output

4 in 1 Spiral Cable (65W, 1.5m)

Data & Charging Cable



Connectors

Type-C, Lightning, USB-A

Length

1.5 Meter

Output Power

65W Max

65W

USB-C to USB-C, USB-A to USB-C

480mbps

Fast Data Transfer

Material

ABS

- Compatible with Android & IOS.
- Support Data Transfer.
- Support All Fast Charging Protocols.

DC 4 in 1 60W

Data & Charging Cable

SX



Connectors

USB-C to USB-C, Lightning

Input Type

USB-C + USB-A

Output Power

60W Max

Length

1 Meter

Color

Black, Silver, Green

Material

Fabric

- **Compatible with Android & IOS.**
- **Support Data Transfer.**
- **Support All Fast Charging Protocols.**
- **Aluminum Alloy Housing Connectors.**

2 in 1 Cable 60W

Data & Charging Cable



Connectors

USB-C to USB-C, Lightning

Input Type

USB-C

Output Power

60W Max

Length

1 Meter

Color

Black, Silver

Material

Fabric

- Compatible with Android & IOS.
- Support Data Transfer.
- Support All Fast Charging Protocols.
- Aluminum Alloy Housing Connectors.

4 in 1 Metal Cable (65W, 1.5/1M)

Data & Charging Cable

SX



Connectors

Type-C, Lightning, USB-A

Length

1.5/ 1 Meter

Output Power

65W Max

65W

USB-C to USB-C, USB-A to USB-C

480mbps

Fast Data Transfer

Material

Metal connector, Fabric braided

- Compatible with Android & IOS.
- Support Data Transfer.
- Support All Fast Charging Protocols.

3 in 1 MFI Cable

Data & Charging Cable



Connectors

USB-A to Micro, USB-C,
Lightning

Input Type

USB-A

Output Power

60W Max

Length

1 Meter

MFI

Certified

Material

Fabric

- Compatible with Android & IOS.
- Support Data Transfer.
- MFI Certified.
- Aluminum Alloy Housing Connectors.
- High Efficiency

3-IN-1 Cable 12W (CM-47)

Charging Cable



Connectors

USB-C, Lightning, Micro USB

Output

2.4A max

Output Power

12W Max

Length

25 cm

Color

Black, Grey, Red

Material

Fine Fabric Braided

- Compatible with Android & IOS.
- Support Data Transfer.
- Support All Fast Charging Protocols.
- Aluminum Alloy Housing Connectors.

3 in 1 Retractable Cable(Tricord)

Charging Cable



Connectors

Lightning, Type-C, micro

Input Type

USB-A

Design

Retractable

Length

1 Meter

Color

Black & Red

Features

Tangle Free

- Compatible with Android & IOS.
- Retractable
- Tangle Free
- 1 Meter Length
- Charge Simultaneously

Type-C to Lightning/Type-C 60W

Data & Charging Cable

SX



Connectors

Type-C to Lightning/Type-C

Input Type

USB-C

Output Power

60W Max

Length

1, 2 Meter

Color

Black, Red

Material

Fabric Braided

- **Compatible with Android.**
- **Support Data Transfer.**
- **Support All Fast Charging Protocols.**
- **High Efficiency**

DC C-to-C 65W

Data & Charging Cable

SX



Connectors

USB-C to USB-C

Input Type

USB-C

Output Power

65W Max

Length

1 Meter

Color

Grey

Material

Braided wire with metal cap

- **Compatible with Android.**
- **Support Data Transfer.**
- **Support All Fast Charging Protocols.**
- **High Efficiency**

All In One Smart kit

Data Cable Set



Type

Smart kit

Connect Type

USB-A, Type-C, Lightning,

Special Feature

60W Fast Charging

Compatible Devices

Mobile, Tablet, Laptop, MP3 Player

Cable length

0.68m

- **Safe Charging and Data Transfer:** The mini digital gadget has four different ports for conversion, charging, transmission and more. Contains USB C cable with 3 USB adapters got all you need to charge and transfer data for Android/iOS devices.

HDMI to HDMI Cable

Data & Charging Cable



Connectors

HDMI to HDMI

Input Type

USB-C + USB-A

Resolution

High

Length

1.5 Meter

Color

Black

Material

PVC

HDMI to HDMI (4K)

Data & Charging Cable



Connectors

HDMI to HDMI

Compatible

Universal

Resolution

4K

Length

1.5 Meter

Color

Blue

Material

PVC

HDMI to HDMI (8K)

Data & Charging Cable



Connectors

HDMI to HDMI

Compatible

Universal

Resolution

8K

Length

1.5 Meter

Color

Blue

Material

PVC

- Support up to 8k resolution
- High quality cores

OTG

OTG Connector

**USB-C OTG****USB-A OTG****Support**

USB 3.0

Output Power

60W

Material

Aluminum Alloy

- Compatible with Android.
- Support Data Transfer.
- Aluminum Alloy Housing Connectors.
- High Efficiency.

Bracket Holder

Mobile Stand

SX



Type

Desktop

Rotation

90° Horizontal

Compatible

4-7 Inches Devices

Material

Metal & ABS

Color

Black, White

142g

Light Weight

- Foldable & height adjustable.
- Anti-skid silicone pads.
- High quality material.

CS07 Mobile Holder

Mobile Stand

SX



Type

Desktop

Rotation

Multi-Angle

Compatible

4-7 Inches Devices

Material

ABS & PC

Color

Optional

30g

Light Weight

- Foldable & height adjustable.
- Anti-skid silicone pads.
- High quality material.

Video Call Stand

Holder

SX



Type

Mobile Holder

Material

ABS

1kg

Load Capacity

Orientations

Portrait & Landscape

90 degree

Rotations

Usage

Mobile , TAB

- Built-in LED Light.
- MagSafe Charger Space.
- High quality ABS Material.
- Foldable design.

L-1 Tripod

Tripod



Mini Tripod

Type

10kg

Load Capacity

360 degree

Rotations

Material

ABS

Orientations

Portrait & Landscape

Usage

Digital Camera , Mobile , GoPro

- The mini tripod works with most Smartphones, GoPro, DSLR, and compact cameras.
- High-quality tripod equipped with nonskid rubber feet for an extra solid grip, even in a tilted position.

5 in 1 Charging Station

Charging Station



5 USB-A

USB Port

Cable

Power Source

Input

AC 100V-240V

Output

1 X QC3.0, 4 x DCSV/2.4A

Color

Black

Material

ABS

- Compatible With All Devices.
- Stable Output.
- Multiple USB Port Port.

10 USB HUB

USB HUB



Type

USB Hub

Input Type

AC100-240V

Material

ABS

USB Output

2x 5V/3.5A, 3x 5V/2.4A, 2x 5V/1.5A, 3x 5V/1.0A

Size & Weight

170*75*24mm & 320g

Features

Indicator & Switch

4 USB HUB Type-C

USB HUB

SX



Type

USB Hub

Support

Simultaneously Data transfer

Input Type

USB-C

Cable Length

0.5 Meter

Material

ABS

Features

Indicator & Switch

KY-888 2A+2C HUB

USB HUB



Type

USB Hub

Support

Simultaneously Data transfer

Input Type

AC 100-240V

Cable Length

0.5 Meter

Material

ABS

Features

Fast Charging

CX01 Power Socket

Extension Board



Ports

4x AC Socket, 4x USB-A

Material

ABS, PC

240V Max

Voltage Support

5V/2.4A

USB Output

3000 Watt

Load Capacity

12 Amp

Rated Current

- Power Switch.
- 2 Meter Cable.
- Power Indicator.
- Support all types of plug.

CX02 Power Socket

Extension Board



Ports

3x AC Socket, 3x USB-A

Material

ABS, PC

240V Max

Voltage Support

5V/3.4A

USB Output

3000 Watt

Load Capacity

12 Amp

Rated Current

- Power Switch.
- Power Indicator.
- 2 Meter Cable.
- Support all types of plug.

15W C-Thru Wireless Charger

Wireless Charger



Output Type

Wireless

Type

C-Thru Charger

Input

USB-C Input

Wireless Output

15W Max

USB Output

5V/1A

Material

ABS

- Compatible Wireless Supported Devices.
- Stable Output.
- Anti-Slip Pads
- LED indicator

2 in 1 Wireless Charger Pad

Wireless Charging Pad



Output Type

Wireless

Type

Charging Pad

Input

5V/2A, 9V/2A

Wireless Output

10W Max

USB Output

5V/1A

Material

ABS

- Compatible Wireless Supported Devices.
- Stable Output.

3 in 1 Wireless Charger

Wireless Charger



Type

Wireless Charger

Material

ABS+PU+ Aluminum

15W

Wireless output Power

Watch Output

3W Supports Full Series Apple Watch

Airpod Output

5W

Input

PD Type-C 15W

- Wireless Charger
- TWS & Watch and Phone Charging
- QC PD 18W Type C Input
- Strong Magnetic Suction

95W GaN Car Charger

QC PD Car Charger



Output Ports

USB-A, USB-C & USB-C

Support

QC3.0, PD 20W & 95W

Input

DC 12V/24V

Material

ABS

QC Output

QC3.0 5V/3A, 9V/2A, 12V/1.5A

PD Output

12V/1.6A (20W MAX)
20V/4.7A (95W MAX)

- Compatible with Android & IOS.
- Support Qualcomm 3.0.
- Support 20W USB-C Power Delivery.
- Support 95W USB-C Power Delivery.
- Multiple Protection Layers.
- High Efficiency

BK358 35W Car Charger

QC PD Car Charger



Output Ports

2x USB-A, 2x USB-C

Support

QC3.0, PD 20W

Input

DC 12V/24V

Material

ABS

USB-A Output

USB-A1 QC 3.0 18W

USB-A2 3.1A 15W

USB-C Output

USB-C1 PD 20W

USB-C2 2.4A 15W

- Compatible with Android & IOS.
- Support Qualcomm 3.0.
- Support 20W USB-C Power Delivery.
- Multiple Protection Layers.
- High Efficiency

LZ-368 CC 3 USB

88+ 30W Car Charger



Output Ports

3 USB-A Output

Support

QC3.0

Input

DC 12V/32V

Material

ABS

Color

Black

QC Output

QC3.0 5V/3A, 9V/2A,
12V/1.5A

- Compatible with Android & IOS.
- Support Qualcomm 3.0.
- Multiple Protection Layers.
- High Efficiency

Titan LZ348 Car Charger

Dual USB Car Charger

SX



Output Ports

2x USB-A

Support

Qualcomm QC 3.0/ QC3.1

Input

DC 12V/24V

Material

ABS

QC Output

QC3.0 5V/3A,
QC3.1 5V/3.1A

Regular Output

5V/2.4A

- Compatible with Android & IOS.
- Support Qualcomm 3.0.
- Multiple Protection Layers.
- High Efficiency

38W Car Charger

QC PD Car Charger

SX



Output Ports

USB-C(20W) & USB-A(18W)

Support

QC3.0 & PD 20W

Input

DC 12V/24V

Material

ABS

QC Output

QC3.0 5V/3A, 9V/2A, 12V/1.5A

PD Output

5V/3.1A, 9V/2.2A, 12V/1.6A
(20W MAX)

- **Compatible with Android & IOS.**
- **Support Qualcomm 3.0.**
- **Support 20W USB-C Power Delivery.**
- **Multiple Protection Layers.**
- **High Efficiency**

CT-66 Car Charger

2 USB Transparent Car Charger



Output Ports

2x USB-A

Output

5V/2.1A

Input

DC 12V/24V

Material

ABS

- Transparent Design.
- Compatible with Android & IOS.
- Multiple Protection Layers.
- High Efficiency & Stable Output

CM-13 Car Charger Socket

Car Charger



Output Ports

2x USB-A

Output

5V/3.1A

Input

DC 12V/24V

Material

ABS + Alloy

Features

Built In Car Socket

Color

White

- Compatible with Android & IOS.
- Multiple Protection Layers.
- High Efficiency & Stable Output

Car Socket Extension

Car Charger

SX



Output Ports

2x USB-A

Output

12V/24V

Input

DC 12V/24V

Material

ABS

Features

Digital Display

Color

Black

- Compatible with Android & IOS.
- Multiple Protection Layers.
- High Efficiency & Stable Output

CT-81 Car Charger

Dual USB Car Charger with Back Seat



Output Ports

4x USB-A

Support

Qualcomm QC 3.0

Input

DC 12V/24V

Material

Aluminum Alloy

QC Output

QC3.0 5V/3A, 9V/2A, 12V/1.5A

Regular Output

5V/3.1A

- Compatible with Android & IOS.
- Support Qualcomm 3.0.
- Multiple Protection Layers.
- High Efficiency

HC-39 Car Charger

Dual USB Car Charger



Output Ports

2x USB-A

Support

Universal

Input

DC 12V/24V

Material

ABS

Feature

Flex mobile Holder

Regular Output

5V/2.4A

- Compatible with Android & IOS.
- Multiple Protection Layers.
- High Efficiency

Humidifier Car Charger

2 USB Car Charger with Humidifier



Output Ports

2x USB-A

Output

5V/2.4A

Input

DC 12V/24V

Material

ABS

Nano Mist

Humidification

Low Noise

<36db, 35dB

- Compatible with Android & IOS.
- Multiple Protection Layers.
- High Efficiency & Stable Output

Car Invertor

150W Car Charger

SX



Output Voltage

AC 220 50HZ USB

Power Rate

150W

Input Voltage

12V DC

Max Power

200W

Output

5V/0.5°

Voltage Protection

5V/2.4A

CM-613M Wireless Charger Holder

Wireless Charger



Type

Wireless Charger

Material

ABS

15W

Wireless output Power

360°

Rotation

Color

Black

Features

Automatically extend arms by pressing one button

- Easily mount in your car AC vent
- Universal rotating ball connection
- Metal hook clamp

Autotech 15W Wireless Car Holder

Wireless Charger



Type

Wireless Charging holder

Output

15W

3-10mm

Charging Distance

- 15W Wireless Charging.
- Air vent mount
- 360 degree

Material

ABS

5V/2A

Input

Color

Black

S6C2 Car Mobile Holder

Mobile Holder



Type

Car Mobile Holder

Rotation

360 Degree

Compatible

3.5-6.5 inches Devices

Material

ABS

Color

Black

Features

One Click Release Button

- Stable & firm, prevent the mobile phone from sliding
- Easy to install.

CM-02 Car Mobile Holder

Mobile Holder



Type

Car Mobile Holder

Rotation

360 Degree

Compatible

3.5-6.5 inches Devices

Material

ABS

Color

Black

Features

Silicone Suction
Lock

- Stable & firm, prevent the mobile phone from sliding
- Easy to install.

CM-3-2 Car Mobile Holder

Mobile Holder



Type

Car Mobile Holder

Rotation

360 Degree

Compatible

3.5-6.5 inches Devices

Material

ABS

Color

Black

Features

Silicone Suction
Lock

- Stable & firm, prevent the mobile phone from sliding
- Easy to Install.

Long Neck Mobile Holder

Car Holder



Type

Car Dashboard

Compatible

4-7Inches Devices

Color

Black

Rotation

360 Degree

Material

ABS

Features

Sticky Suction, Suction
Lock

Anti-Slip Matt

Car Matt

SX



- Organize smartphone, keys, sunglasses, coins etc.
- Designed to withstand a variety of temperature conditions.
- Utilizes a proprietary non-adhesive material that adheres without leaving any marks behind.
- Easily washable, ensuring that dust, dirt, and debris can be effortlessly cleaned off.

Car Dustbin

Dustbin



Material

ABS

Storage

2 Liters

Backseat Clip

Yes

Shape

Oblong

Weight

305 g

Dimensions

16.5x10.5x5 CM

All in 1 Car Kit

Emergency Car Kit



Type

Emergency Kit

Material

Aluminum Alloy

Alarm

3 Types Siren

USB Output

5V/2.4A

2600mAh

Rechargeable Battery

Light Modes

Flashing, Bright, Dim,
Red & Blue Flashing

- Emergency Torch, Signal Light and Red/blue Flashing Light.
- 1x USB Output.
- Solar Charging.
- Seat Belt Cutter.
- Window brake hammer.

H-28 Max Car Dash Cam(Roadventurer)

Car Dashboard Camera



Resolution

Front camera resolution -
2560 x 1440px @30FPS
inside camera - 1920 x
1080px @20FPS

Memory Capacity

UPTO 256GB

Chipset

SA230D

Screen

3 inch IPS Display

Material

ABS

Features

TF card slot, AV In port, USB-C input,
WIFI connection, G-Sensor

- WIFI connection.
- APP control.
- Night vision.
- Time lapse Recording.
- Audio Record.

CM23 Car Dash Cam(Roadvoyager)

Car Dashboard Camera



Resolution

QHD 4k 2560x1440 @25fps
FHD 1080p 1920x1080
@60fps & 30fps
Rear: FHD 1080p 1920x1080
@25fps

Memory Capacity

Support 4~256GB TF Card

Camera

GC4663 & 6G lens

Screen

1.47" IPS (170*320)

Chipset

SA230D

Features

WDR, Motion Detect, G-Sensor, ACC
Power Parking Monitor

- Time lapse Recording.
- Cycle Recording.
- Audio Record.
- Plastic & Metal Material.

CM25-SE Car Dash Cam(Road Master)

Car Dashboard Camera



Resolution

FHD 2k 1920x1080
@30fps

Memory Capacity

Support 4~256GB TF Card

Camera

GC2093 & 4G lens

Screen

1.47" IPS Display

Chipset

Allwinner 851S

Features

WDR, Motion Detect, G-Sensor, ACC
Power Parking Monitor

- Time lapse Recording.
- Cycle Recording.
- Audio Record

CM-17 Car Dash Cam

Car Dashboard Camera



Resolution

720p, 1080p

Memory Capacity

Support 4~32GB External

Material

ABS

Screen

2.5 Inch LCD Display

Chipset

Generalplus 2247

Features

Motion Detect, G-Sensor, Power
Parking Monitor

- Night Vision
- Cycle Recording.
- Audio Record
- Auto Power On/Off
- AV Input Port

M3 Bike Mobile Holder

Bike Holder



Type

Bike Holder

Rotation

360 Degree

Compatible

3.5-6.5 Inches Devices

Material

ABS

Features

Waterproof and dustproof,
transparent camera space

Color

Black

- Adjustable hinge
- Secure lock
- Universal compatibility

C-3 Bike Mobile Holder

With 1 USB Charger



Type

Bike Holder

Rotation

360 Degree

Compatible

3.5-6.5 Inches Devices

Material

Aluminum Alloy, ABS

Input

12V, 24V

Output

USB-A 2.4A

- Secure buckle design.
- Built-in 1 USB Port.
- 2 corners protection.
- stable and firm, prevent the mobile phone from sliding
- Easy to Install.

Metal Laptop Stand 360°

Laptop Stand



Type

Foldable & Adjustable

Rotation

360 Degree

Compatible

All Devices

Material

Metal

Color

Grey

Features

Rotary Gear

- Supports up to 5KG
- Rubber Pads.
- Rotary Gear with Satisfying Ticking Sound
- One hand operation.
- Customize your viewing experience with adjustable height settings

Metal Laptop Stand

Laptop Stand



Type

Foldable & Adjustable

Rubber pads

Non-slip pads

Compatible

All Devices

Material

Metal

Color

Grey

Features

Support up to 5kg

- Supports up to 5KG
- Rubber Pads.
- One hand operation.
- Customize your viewing experience with adjustable height settings

C-Thru Tablet Stand 360°

Tablet Stand

SX



Type

Foldable & Adjustable

Rotation

360 Degree

Compatible

All Devices

Material

ABS

Color

Transparent

Features

C-Thru, Non-Slip

- Rotary Gear with Satisfying Ticking Sound
- One hand operation.
- Customize your viewing experience with adjustable height settings

Metal Tablet Stand

Tablet Stand

SX



Type

Foldable & Adjustable

Rotation

360 Degree

Compatible

All Devices

Material

Metal

Color

Silver

Features

Rotary Gear

- Supports Up to 5KG
- Rubber Pads.
- One hand operation.
- Customize your viewing experience with adjustable height settings
- Rotary Gear with Satisfying Ticking Sound

Triangle Tablet Stand

Tablet Stand



Type

Foldable & Adjustable

Rotation

180 Degree

Compatible

Tablet & Mobile

Material

ABS

Color

White

Features

Adjustable

- One hand operation.
- Customize your viewing experience with adjustable height settings

Tablet Holder 01

Holder



- A simple and tool-free installation process is desirable.
- Padded grips ensures a secure and scratch-free grip on your tablet.
- Silicone lock system.

LED Pixel Display

Wireless Presenter



64x64 Pixels

Display Type

3x3 mm

Pixel Size

4096 LED

Number of LED

RGB

Color

5.0v

Bluetooth

10W

Input

- Dimensions 260x260x17mm
- Weight 963g
- Digital Clock
- Real time control & social interaction

CM-9604 Wireless Presenter

Wireless Presenter



Type

Wireless Presenter

Connect Type

Wireless

Range

30M

2x AAA

Battery Type

200M

Laser Distance

Color

Black

- Enables users to remotely control slideshows, presentations, and multimedia without being tethered to the computer.
- Voltage current - DC 3V/ <35mA
- Compatible system - Windows XP/2000/ Vista/7/8/10

Search Tag for Android

Search Tag



Type

Search Tag

Material

ABS

Battery

CR2032 Button Battery

Battery Type

Replaceable

Distance

No distance limits

Color

Black, White, Pink, Blue

- One Click Call
- Thin & Compact

Search Tag for IOS

Search Tag



Type

Air Tag

Material

ABS

Battery

CR2032 coin cell

Battery Type

Replaceable

Distance

No distance limits

Color

White, Black

- Loud buzzer
- Built-in speaker
- Real time tracking
- No distance limits
- Works with apple find my (no app download required)

Lumibreeze Deskmate Table Lamp

Table Night Lamp

SX



Type

Table Night Lamp

Input

USB-C Input Port

Control Mode

Touch Control

Color Temperature

3000-6000K

Color

White

Feature

LED Light, Fan, Digital Clock,
Pen/Mobile Holder

- Portable & Adjustable
- Built in Fan
- Digital clock with control button
- Convenient folding
- Brightness adjustment
- No flickering

BLY-001 Lamp

Night Lamp

**Type**

Night Lamp

Color Temp

20000-50000 Kelvin

1200mAh

Rechargeable Battery

3 Light Modes

Cool, Warm, Blinking

Color

White-Pink, White-Blue

DC 5V

Micro USB Input

GlowMaster LED Light

LED Light



Type
LED Light

Color Temp
3200k-65000 Kelvin

Controller
Remote

Brightness
0%-100% adjustable

Material
ABS

Color
3 Color temperature

LED Light Fan

Fan



1200mAh

Battery

Input

Type-C

Color

Blue, Green, Red

Design

Portable

Battery

Rechargeable

Features

Power/ Speed Control Button

- USB-C Charging port
- Rechargeable Battery
- Power/Speed Control Button

Portable Folding Fan

Fan

SX



5W

Wattage

Input

Micro USB

Color

Green

Design

Portable, Foldable

Battery

Rechargeable

Features

Power/ Speed Control Button

- Micro USB Charging port
- Rechargeable Battery
- Power/Speed Control Button

Double Headed Fan

Fan



USB Car Fan



Car Socket

Rotation

180° vertical,
360° horizontally

Plate Sticker

Comes with parking number

Material

ABS

Speed

2 Wind

Color

Black

Features

Low noise, Portable, Easy to clean

- Variable Speeds
- Portable & Easy to clean

Foldable Neck Fan

Neck Fan



Foldable

Type

Material

ABS

800mAh

Rechargeable Battery

Backup

8-10 Hours

Color

Green

Features

3 wind Speed

- Rapid cooling in 5 seconds.
- 360° global wind bladeless design.
- USB-C charging port.

CM-898 Mini Humidifier Cooling Fan

Humidifier



Humidifier

Type

Low, Medium, High

3 speed control

1st, 2nd, 3rd Gear

Wind regulation

Material

ABS

Features

Cooling Fan, Spray water, low power consumption

Color

Black & White

- 1,2,3 nozzles Spray conditioning.
- 180° rotation allows the fan to cover a larger area
- 1,2,3 hours Timing adjustment
- USB-C charging port

Humidifier Cooling Fan

Humidifier



Humidifier

Type

Water Capacity

Micro USB DC 5V

Color

White

Battery Capacity

3600mAh

Material

ABS

Features

Cooling Fan, 3 wind speed,
Spray water, 90° rotation,
Light, Digital Display,

- 5 leaf gentle & low noise operation.
- 90° rotation allows the fan to cover a larger area
- Warm night light
- USB-C charging port

Tablet Keyboard

keyboard

SX



- **BT-Keyboard for Tab.**
- **Compatible with all Tablet.**



**K-39 C-Thru
10000mAh Power
Bank**

**AmpliBank BT
v5.2 Speaker**

**LF-162 Bluetooth
v5.2 Earbuds**

**QC PD C-Thru 20W
USB-C Charger**

**C-Thru 2 USB Port
Car Charger**

**15W USB-C Data
Cable**